

# Declaration of Performance refer to CPR 305/2011

EN

<b>1 DoP Reference number</b>	BM / G1 / 1008		
<b>2 Product-Code</b>	ACO Therm Leibungsfenster mit Dreh-/Kippflügel WK2, 3-fach		
<b>3 Product specification: (Numbers or Specification of product)</b>	See label on the product		
<b>4 Intended use</b>	Windows and external pedestrian doorsets without resistance to fire and/or smoke leakage characteristics		
<b>5 Manufacturer</b>	ACO Severin Ahlmann GmbH & Co. KG Am Ahlmannkai D-24782 Büdelsdorf		
<b>6 Authorised representative</b>	Not relevant		
<b>7 Assessment and verification of constancy of performance</b>	System 3		
<b>8 Relevant harmonised standard</b>	EN 14351-1:2006		
<b>9 First year of CE marking</b>	2010		
<b>10 Notified body</b>	ift Rosenheim 0757		
<b>11 Type test report reference number</b>	ift 102 38 156 / 1 and 102 38 156 / 2		
<b>12 Essential characteristics</b>	<b>Performance declared</b>		
	<b>Dreh- /Kippflügel</b>	<b>3-fach Verglasung</b>	<b>WK2</b>
Resistance to wind load	C3 / B3	C3 / B3	C3 / B3
Water tightness	Cl. 6A	Cl. 6A	Cl. 8A
Air permeability	Cl. 3	Cl. 3	Cl. 4
Thermal transmittance $U_w$ W/(m <sup>2</sup> K)	1,3 W/(m <sup>2</sup> K)	1,0 W/(m <sup>2</sup> K)	1,4 W/(m <sup>2</sup> K)
Acoustic performance	npd	npd	npd
Load-bearing capacity of safety device	npd	npd	npd
Dangerous substances	npd	npd	npd
Protection against burglary	npd	npd	2
g – Value	0,63	0,52	0,57
Light transmittance	0,80	0,74	0,80
<b>13 Specific technical documentation (article 37/38)</b>	Installation guideline		
<b>14 Other information</b>	–		

*npd = no performance determined (engl.) = Leistungsmerkmale nicht festgelegt (deutsch)*

The performance of the product(s) identified in points 2 and 3 is in conformity with the declared performance in point 12. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 5. Signed for and on behalf of the Manufacturer by

Rendsburg/Büdelsdorf, October 2013



Hartmut Jennrich, sales department  
ACO Severin Ahlmann GmbH & Co. KG

